

**RESEARCH STUDY TO TEST THE EFFECTIVENESS OF BIOPRO-  
CELLPHONE CHIPS ON THE STRESS RESPONSE TRIGGERED BY  
ELECTROMAGNETIC EMISSIONS FROM CELL-PHONES**

**Study Location**

San Diego, California

July 7, 8 2005

**Medical Researcher**

Dr. S. McGregor, ND

**Testing Equipment**

Biomeridian MSAS Professional (FDA Registered, ISO Certified)

## **STUDY PURPOSE**

To test the weakening and /or compensation of electromagnetic cell phone radiation (EMFs) on 7 key body (energy) systems when using the BIOPRO Cell Chip with the available series of measurements and testing devices.

## 1. INTRODUCTION

The suspicion that the influence of electromagnetic waves and fields emitted by televisions, radios, microwaves ovens, computers, cell phones, etc. have a negative, lasting impact on the human health system, has become – with an increasing number of worldwide studies – a virtual certainty. Many so called modern illnesses of today's civilization (in particular allergies) seem to be released and/or exaggerated by these electromagnetic influences.

According to the ARNDT-SCHULTZ-RULE, it is the weak and small doses that have particularly strong influences in their effect on biological systems, releasing clearly measurable reactions. After an accumulation of negative influences in the course of months or years, pre-pathological and ultimately pathological reactions can be observed and changes may occur in the human organism.

The rule applied to determine in tests,

- a) Whether and which causal influences have a changing effect on humans when exposed to the range of EMF-radiating technologies, and
- b) Which substantiating testing methods can be used when evaluating human energy systems, and are they suitable to show the qualitative and quantitative effects of such environmental influences (i.e. EMFs).

Many functional or energy screening devices, such as the BioMeridian MSAS Professional testing device used in this study are assessed on the research of Dr. Reinhold Voll. Dr. Voll established that there is a network of energy channels, called meridians, flowing through the body. Meridian points, some of which correlate to acupuncture points, can be used to collect energetic data. Dr. Voll demonstrated that the body's vital body systems are associated with different energy meridians. Imbalances in various vital body systems are believed to manifest themselves as energetic disturbances in the associated meridians. These energetic meridians are also highly responsive to external stressors, almost immediately, as illustrated by the testing equipment used in this study.

As sufficiently sensitive and reactive measuring points, 7 acupuncture systems with its meridians and points were chosen.

The points chosen were:

- Lymphatic system
- Lung
- Large Intestine
- Nervous System

- Circulation
- Allergy Response
- Cellular Metabolism

These points represent the condition of the entire human energy system and, within seconds, reflect physical reactions to the biophysical attractions (assuming these affect the body in a noticeable manner). Also, the body's compensatory reactions through homeostasis can immediately be measured and evaluated through these points.

## 2. MATERIAL AND METHODS

The Biomeridian MSAS Professional (an FDA registered and ISO certified device) which measures stress in over 60 different parts of the human body was used as the screening device. It is currently used by over 2,000 health practitioners in the U.S., Europe, Canada and many other parts of the world. This system is an important indicator of resistance to stress in essential bio-systems throughout the body.

In each of the 7 key body areas the test-subjects were measured on a data output scale of 0-100. The ideal target zone falls within the 45-55 score range. Practitioners say that any measurement above 55 is stressful as it indicates excess energy, or an inflamed condition in that part of the human biofield. Any measurement below 45 is also stressful because lower numbers represent impaired, weakened, or blocked energy systems. The closer an individual's measurements are to 50, the closer he/she is to actually being in his/her ideal performance zone. The individual screenings show the Meridian changes that took place in relation with exposure to the product being screened. A Samsung SPH-A620 Dual-band Tri-Mode cell phone was used for testing. The phone equipped with the BIOPRO Cell Chip had one chip attached to the back, approximately 1 inch below the antenna.

The following groups of 25 individuals were involved in the test:

15 Women  
10 men

The measurement schedule was developed as follows:

Measurement 1 (M1): Standard measurement. Base line (no cell phone used)  
Measurement 2 (M2): Active call without BIOPRO Chip applied.  
Measurement 3 (M3): Active call with BIOPRO Chip applied.

The average test measurements took approximately 5 to 7 minutes so as to negate the element of time compensation.

### 3. INDIVIDUAL TEST RESULTS

#### Test Details:

Initials of Test Subject: S. L.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association; 10-plus years experience with performing MSAS Testing

#### Test Results:

S. L.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	55	63	62	49	55	64	55
Phone Call <b>without</b> BIOPRO Cell Chip	60	63	64	44	59	65	60
Phone Call <b>with</b> BIOPRO Cell Chip	55	55	62	47	54	55	54

#### Test Findings:

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **all 7 key body areas (100%)** were **in a weakened or stressed state**. None of the key body areas were within the ideal performance zone.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** returned to its original baseline value.

**Test Details:**

Initials of Test Subject: E. M.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

E. M.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	60	55	45	45	61	55	55
Phone Call <b>without</b> BIOPRO Cell Chip	63	56	41	42	61	57	58
Phone Call <b>with</b> BIOPRO Cell Chip	55	54	45	45	60	51	55

**Test Findings:**

- 1) **Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2) **Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **all 7 key body areas (100%)** were **in a weakened or stressed state**. None of the key body areas were within the ideal performance zone.
- 3) **Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: L.S.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

L.S.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	41	45	55	48	45	46	55
Phone Call <b>without</b> BIOPRO Cell Chip	56	58	68	55	41	41	62
Phone Call <b>with</b> BIOPRO Cell Chip	43	49	55	50	45	46	55

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **6 of 7 (86%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less weakened state** when compared to the original baseline value, and a **less stressed state** when compared to the "phone call without chip" measurement.



**Test Details:**

Initials of Test Subject: M.D.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

M.D.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	52	52	40	40	43	45	55
Phone Call <b>without</b> BIOPRO Cell Chip	44	45	40	35	41	43	45
Phone Call <b>with</b> BIOPRO Cell Chip	46	52	41	45	45	46	50

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **5 of 7 key body areas (71%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: K.M.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

K.M.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	60	54	48	53	38	38	52
Phone Call <b>without</b> BIOPRO Cell Chip	63	60	57	46	35	34	44
Phone Call <b>with</b> BIOPRO Cell Chip	54	55	47	52	45	39	51

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: C.W.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

C.W.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	60	55	45	40	38	41	41
Phone Call <b>without</b> BIOPRO Cell Chip	40	58	56	40	36	38	40
Phone Call <b>with</b> BIOPRO Cell Chip	49	49	45	42	39	46	45

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6<sup>th</sup> and 7<sup>th</sup> key areas** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: M.P.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

M.P.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	62	62	55	45	53	45	50
Phone Call <b>without</b> BIOPRO Cell Chip	63	62	61	56	54	44	46
Phone Call <b>with</b> BIOPRO Cell Chip	55	61	49	49	50	47	53

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **5 of 7 key body areas (71%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup>** key area also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: B.B.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

<b>B.B.</b>	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	54	56	55	49	46	43	46
Phone Call <b>without</b> BIOPRO Cell Chip	64	57	60	57	45	43	56
Phone Call <b>with</b> BIOPRO Cell Chip	51	49	52	53	51	45	49

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **all 7 (100%)** of them now measuring **within the ideal performance zone**.

### Test Details:

Initials of Test Subject: L.B.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

### Test Results:

L.B.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	67	67	45	52	41	45	41
Phone Call <b>without</b> BIOPRO Cell Chip	69	67	56	51	40	56	40
Phone Call <b>with</b> BIOPRO Cell Chip	66	55	46	49	45	45	45

### Test Findings:

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

### Test Details:

Initials of Test Subject: A.B.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

### Test Results:

A.B.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	45	45	55	51	45	40	39
Phone Call <b>without</b> BIOPRO Cell Chip	38	32	43	41	41	40	58
Phone Call <b>with</b> BIOPRO Cell Chip	46	47	48	48	46	41	45

### Test Findings:

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **all 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: M.B.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

M.B.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	53	55	45	44	42	50	45
Phone Call <b>without</b> BIOPRO Cell Chip	38	56	40	40	41	56	39
Phone Call <b>with</b> BIOPRO Cell Chip	48	52	45	45	43	50	46

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.



**Test Details:**

Initials of Test Subject: A.A.  
Date Tested: July 8, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

A.A.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	41	41	45	42	42	38	45
Phone Call <b>without</b> BIOPRO Cell Chip	37	35	41	39	37	37	40
Phone Call <b>with</b> BIOPRO Cell Chip	45	46	46	43	43	47	46

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6<sup>th</sup> and 7<sup>th</sup> key areas** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: M.C.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

M.C.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	41	45	41	41	42	45	38
Phone Call <b>without</b> BIOPRO Cell Chip	31	34	34	38	35	36	38
Phone Call <b>with</b> BIOPRO Cell Chip	45	46	45	48	43	46	40

**Test Results:**

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6<sup>th</sup> and 7<sup>th</sup> key areas** also showed a **less weakened state** when compared to original baseline value and the "phone call without chip" measurement.

### Test Details:

Initials of Test Subject: J.K.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

### Test Results:

J.K.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	51	46	51	45	47	60	50
Phone Call <b>without</b> BIOPRO Cell Chip	55	60	57	57	44	59	60
Phone Call <b>with</b> BIOPRO Cell Chip	47	54	50	45	52	55	52

### Test Findings:

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **6 of 7 (86%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **7 of 7 (100%)** of them now measuring **within the ideal performance zone**.

### Test Details:

Initials of Test Subject: L.N.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

### Test Results:

L.N.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	55	53	42	46	45	45	41
Phone Call <b>without</b> BIOPRO Cell Chip	63	64	55	46	41	59	41
Phone Call <b>with</b> BIOPRO Cell Chip	54	55	54	49	52	52	47

### Test Findings:

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **5 of 7 key body areas (71%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **7 of 7 (100%)** of them now measuring **within the ideal performance zone**.

**Test Details:**

Initials of Test Subject: F.L.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

F.L.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	45	38	40	40	45	37	37
Phone Call <b>without</b> BIOPRO Cell Chip	42	38	32	39	33	32	29
Phone Call <b>with</b> BIOPRO Cell Chip	46	46	42	49	47	48	39

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6<sup>th</sup> and 7<sup>th</sup> key areas** also showed a **less stressed state** when compared to original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: S.I.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

S.I.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	55	55	45	45	42	41	58
Phone Call <b>without</b> BIOPRO Cell Chip	59	56	42	39	38	38	58
Phone Call <b>with</b> BIOPRO Cell Chip	54	52	45	47	44	48	51

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less stressed state** when compared to original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: C.C.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

C.C.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	47	59	43	55	41	45	44
Phone Call <b>without</b> BIOPRO Cell Chip	55	55	60	55	55	52	45
Phone Call <b>with</b> BIOPRO Cell Chip	50	56	55	54	46	50	46

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **3 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **1 of 7 key body areas (14%)** was **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less stressed state** when compared to original baseline value.

**Test Details:**

Initials of Test Subject: M.P.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

M.P.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	64	58	45	43	45	43	53
Phone Call <b>without</b> BIOPRO Cell Chip	61	60	44	43	41	41	44
Phone Call <b>with</b> BIOPRO Cell Chip	50	53	49	47	46	46	49

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **7 of 7 (100%)** of them now measuring **within the ideal performance zone**.



**Test Details:**

Initials of Test Subject: E.W.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

E.W.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	64	64	45	45	45	44	44
Phone Call <b>without</b> BIOPRO Cell Chip	68	70	43	44	39	42	41
Phone Call <b>with</b> BIOPRO Cell Chip	54	55	46	50	45	45	45

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **7 of 7 (100%)** of them now measuring **within the ideal performance zone**.

**Test Details:**

Initials of Test Subject: G.B.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

G.B.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	48	58	58	50	53	53	42
Phone Call <b>without</b> BIOPRO Cell Chip	60	67	57	57	54	60	55
Phone Call <b>with</b> BIOPRO Cell Chip	55	55	56	53	54	54	53

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **5 of 7 key body areas (71%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less stressed state** when compared to original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: F.I.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

F.I.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	55	47	41	41	40	40	38
Phone Call <b>without</b> BIOPRO Cell Chip	58	60	40	57	40	40	37
Phone Call <b>with</b> BIOPRO Cell Chip	54	55	45	46	41	45	47

**Test Results:**

**Test Findings:**

- 1. Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less stressed state** when compared to original baseline value and the "phone call without chip" measurement.

**Test Details:**

Initials of Test Subject: N.E.  
Date Tested: July 9, 2005  
Test Location: San Diego, CA  
Test Equipment used: FDA-registered MSAS Professional  
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association  
10-plus years experience with performing MSAS testing

**Test Results:**

N.E.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline (No Phone)	54	46	45	41	42	47	46
Phone Call <b>without</b> BIOPRO Cell Chip	58	40	43	41	38	38	37
Phone Call <b>with</b> BIOPRO Cell Chip	46	52	51	45	44	46	46

**Test Findings:**

- Baseline (No Phone):**  
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip:**  
When using a cell phone **without** BIOPRO's Cell Chip, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip:**  
**After** applying the **BIOPRO's Cell Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7<sup>th</sup> key area** also showed a **less stressed state** when compared to original baseline value and the "phone call without chip" measurement.

#### 4. CONCLUSIONS

When tested **without a cell phone** (baseline state), across all individuals tested, **57%** of their key body areas measured **within the ideal performance zone**, **43%** of the key body areas measured **outside of the ideal range**.

As a result of our second measurement apparently the influence of EMFs from cell phone resulted in a significant, measurable shift in the energy levels in most acupuncture points. When using a cell phone **without** BIOPRO's Cell Chip attached to it, across all individuals tested, **only 11%** of their key body areas measured **within the ideal performance zone**. The remaining **89%** of their key body areas were **in a weakened or stressed state**. This demonstrates a significant negative effect of shifting the organism out of the ideal performance range.

**After** applying **BIOPRO's Cell Chip** on the phone, across all individuals tested, **87%** of their key body areas measured **within the ideal performance zone**. The remaining **13% of key body areas** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement. This demonstrates a significant positive effect of shifting the organism back to its ideal performance range.

**After** applying the **BIOPRO's Cell Chip** on the phone, **all (100%) of all individuals tested** had a **larger percentage** of key body areas **within the ideal performance zone** than they did when using a cell phone **without** BIOPRO's Cell Chip attached to it, as well as when compared to being tested **without a cell phone** (baseline state).

In summary, by comparing seven key areas of the body before and after using the BIOPRO Cell Chip, screening results showed that **numeric stress values for all subjects were restored significantly closer to equilibrium. Each individual showed strengthened resistance to the effects of stress, and a dramatic increase in measurable energy.**