

**RESEARCH STUDY TO TEST THE EFFECTIVENESS OF BIOPRO-CELLPHONE
CHIPS ON THE STRESS RESPONSE TRIGGERED BY ELECTROMAGNETIC
EMISSIONS FROM CELL-PHONES**

Study Location

Carlsbad, California
September 8, 9 2005

Medical Researcher

Dr. S. McGregor, ND

Testing Equipment

Biomeridian MSAS Professional (FDA Registered, ISO Certified)

STUDY PURPOSE

To test the weakening and /or compensation of electromagnetic cell phone radiation (EMFs) on 7 key body (energy) systems when using the BIOPRO Cell Chip with the available series of measurements and testing devices.

1. INTRODUCTION

The suspicion that the influence of electromagnetic waves and fields emitted by televisions, radios, microwaves ovens, computers, cell phones, etc. have a negative, lasting impact on the human health system, has become – with an increasing number of worldwide studies – a virtual certainty. Many so called modern illnesses of today's civilization (in particular allergies) seem to be released and/or exaggerated by these electromagnetic influences.

According to the ARNDT-SCHULTZ-RULE, it is the weak and small doses that have particularly strong influences in their effect on biological systems, releasing clearly measurable reactions. After an accumulation of negative influences in the course of months or years, pre-pathological and ultimately pathological reactions can be observed and changes may occur in the human organism.

The rule applied to determine in tests,

- a) Whether and which causal influences have a changing effect on humans when exposed to the range of EMF-radiating technologies, and
- b) Which substantiating testing methods can be used when evaluating human energy systems, and are they suitable to show the qualitative and quantitative effects of such environmental influences (i.e. EMFs).

Many functional or energy screening devices, such as the BioMeridian MSAS Professional testing device used in this study are assessed on the research of Dr. Reinhold Voll. Dr. Voll established that there is a network of energy channels, called meridians, flowing through the body. Meridian points, some of which correlate to acupuncture points, can be used to collect energetic data. Dr. Voll demonstrated that the body's vital body systems are associated with different energy meridians. Imbalances in various vital body systems are believed to manifest themselves as energetic disturbances in the associated meridians. These energetic meridians are also highly responsive to external stressors, almost immediately, as illustrated by the testing equipment used in this study.

As sufficiently sensitive and reactive measuring points, 7 acupuncture systems with its meridians and points were chosen.

The points chosen were:

- Lymphatic system
- Lung
- Large Intestine
- Nervous System

- Circulation
- Allergy Response
- Cellular Metabolism

These points represent the condition of the entire human energy system and, within seconds, reflect physical reactions to the biophysical attractions (assuming these affect the body in a noticeable manner). Also, the body's compensatory reactions through homeostasis can immediately be measured and evaluated through these points.

2. MATERIAL AND METHODS

The Biomeridian MSAS Professional (an FDA registered and ISO certified device) which measures stress in over 60 different parts of the human body was used as the screening device. It is currently used by over 2,000 health practitioners in the U.S., Europe, Canada and many other parts of the world. This system is an important indicator of resistance to stress in essential bio-systems throughout the body.

In each of the 7 key body areas the test-subjects were measured on a data output scale of 0-100. The ideal target zone falls within the 45-55 score range. Practitioners say that any measurement above 55 is stressful as it indicates excess energy, or an inflamed condition in that part of the human biofield. Any measurement below 45 is also stressful because lower numbers represent impaired, weakened, or blocked energy systems. The closer an individual's measurements are to 50, the closer he/she is to actually being in his/her ideal performance zone. The individual screenings show the Meridian changes that took place in relation with exposure to the product being screened. A Samsung SPH-A620 Dual-band Tri-Mode cell phone was used for testing. The phone equipped with the BIOPRO Cell Chip had one chip attached to the back, approximately 1 inch below the antenna.

The following groups of 29 individuals were involved in the test

19 Women

10 men

The measurement schedule was developed as follows:

Measurement 1 (M1): Standard measurement. Base line (no cell phone used)

Measurement 2 (M2): Active call without BIOPRO Chip applied.

Measurement 3 (M3): Active call with BIOPRO Chip applied.

The average test measurements took approximately 5 to 7 minutes so as to negate the element of time compensation.

3. INDIVIDUAL TEST RESULTS

Test Details:

Initials of Test Subject: P.W.
Date Tested: September 8, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association; 10-plus years experience with performing MSAS Testing

Test Results:

P.W.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	45	52	51	56	52	52	49
Phone no Chip	36	51	41	56	49	38	45
Phone with BIOPRO Chip	45	52	42	53	50	51	50

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **6 of 7 (86%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **4 of 7 key body areas (57%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to the "phone call without a chip" measurement.

Test Details:

Initials of Test Subject: B.B.
Date Tested: September 8, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

B.B.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	61	56	52	47	46	56	44
Phone no Chip	64	46	38	41	44	42	41
Phone with BIOPRO Chip	60	53	49	47	47	55	49

Test Findings:

- 1) **Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2) **Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- 3) **Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: M.G.
Date Tested: September 8, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

M.G.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	55	54	45	46	43	53	43
Phone no Chip	45	41	42	40	41	40	43
Phone with BIOPRO Chip	46	46	47	45	43	45	45

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened state**.
- 3. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: G.M.
Date Tested: September 8, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

G.M.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	58	57	61	51	52	52	44
Phone no Chip	67	41	61	59	44	52	43
Phone with BIOPRO Chip	50	55	58	51	47	47	45

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: M.D.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

M.D.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	52	52	47	47	43	52	43
Phone no Chip	55	33	45	42	40	43	40
Phone with BIOPRO Chip	46	52	52	47	45	47	44

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **5 of 7 key body areas (71%)** were **in a weakened state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: D.G.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

D.G.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	46	44	45	48	44	43	49
Phone no Chip	57	31	39	44	41	40	39
Phone with BIOPRO Chip	54	45	50	52	45	51	43

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key areas** also showed a **less weakened state** when compared to the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: B.S.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

B.S.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	40	46	39	42	38	41	41
Phone no Chip	31	42	39	40	36	35	41
Phone with BIOPRO Chip	45	46	46	45	39	45	45

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened state**.
- 3. Phone Call with BIOPRO Cell Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: C.E.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

C.E.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	51	63	41	54	45	43	56
Phone no Chip	47	63	40	62	60	56	59
Phone with BIOPRO Chip	51	55	55	46	45	53	56

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: S.B.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

S.B.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	65	64	53	58	61	56	53
Phone no Chip	65	67	60	59	65	63	59
Phone with BIOPRO Chip	55	61	51	55	55	55	53

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **all 7 key body areas (100%)** were **in a stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: S.H.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

S.H.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	62	68	44	43	37	40	47
Phone no Chip	62	76	43	43	36	37	42
Phone with BIOPRO Chip	49	64	45	51	42	45	48

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **all 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6th and 7th key area** also showed a **less weakened or stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: K.H.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

K.H.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	64	56	52	45	48	46	51
Phone no Chip	64	56	56	41	38	40	56
Phone with BIOPRO Chip	56	50	52	53	50	51	55

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **5 of 7 (71%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: R.M.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

R.M.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	43	47	57	43	45	38	42
Phone no Chip	39	39	41	40	37	36	40
Phone with BIOPRO Chip	46	46	45	45	45	39	45

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key areas** also showed a **less weakened state** when compared to both the original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: K.D.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

K.D.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	43	40	49	43	43	49	40
Phone no Chip	40	35	55	37	37	39	38
Phone with BIOPRO Chip	45	46	46	43	45	49	45

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: S.H.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

S.H.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	47	68	43	39	42	41	38
Phone no Chip	45	39	36	34	37	40	34
Phone with BIOPRO Chip	50	49	45	47	46	45	40

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened state**.
- 3. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: C.D.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

C.D.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	52	42	64	57	43	56	60
Phone no Chip	60	49	66	60	60	61	64
Phone with BIOPRO Chip	53	45	60	55	45	53	55

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a stressed state**.
- 3. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: S.H.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

S.H.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	72	40	47	36	59	41	38
Phone no Chip	73	60	55	36	42	38	31
Phone with BIOPRO Chip	65	55	47	45	46	42	45

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6th and 7th key areas** also showed a **less stressed or weakened state** when compared to original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: A.O.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

A.O.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	68	71	50	51	56	52	56
Phone no Chip	68	72	44	43	43	48	58
Phone with BIOPRO Chip	65	55	47	51	50	52	55

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: B.L.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

B.L.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	60	66	44	53	53	61	63
Phone no Chip	70	66	61	61	53	65	63
Phone with BIOPRO Chip	55	64	47	53	52	54	55

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a stressed state**.
- 3. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to original baseline value and the "phone call without a chip" measurement.

Test Details:

Initials of Test Subject: N.B.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

N.B.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	46	42	34	43	37	35	38
Phone no Chip	46	57	33	40	34	32	37
Phone with BIOPRO Chip	47	45	36	45	45	46	45

Test Findings:

- 1. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- 2. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- 3. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to original baseline value and the "phone call without a chip" measurement.

Test Details:

Initials of Test Subject: J.W.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

J.W.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	65	63	54	56	62	56	58
Phone no Chip	42	42	61	60	63	63	59
Phone with BIOPRO Chip	45	58	55	55	54	55	53

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened or stressed state** when compared to original baseline value and the "phone call without a chip" measurement.

Test Details:

Initials of Test Subject: K.C.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

K.C.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	56	44	44	50	50	57	61
Phone no Chip	43	45	33	43	39	42	61
Phone with BIOPRO Chip	51	53	46	50	47	44	54

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened or stressed state** when compared to original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: B.M.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

B.M.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	47	43	48	41	43	41	54
Phone no Chip	39	41	48	56	42	44	47
Phone with BIOPRO Chip	52	55	49	47	51	55	45

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip attached to it, **5 of 7 key body areas (71%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **7 of 7 (100%)** of them now measuring **within the ideal performance zone**.

Test Details:

Initials of Test Subject: L.P.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

L.P.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	43	41	45	40	38	39	40
Phone no Chip	43	40	38	33	36	37	40
Phone with BIOPRO Chip	50	46	51	43	39	45	46

Test Findings:

- 4. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **1 of 7 (14%)** of this individual's key body areas measured **within the ideal performance zone**.
- 5. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 6. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6th and 7th key areas** also showed a **less weakened state** when compared to original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: M.M.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

M.M.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	61	55	54	56	59	54	54
Phone no Chip	44	62	44	44	60	61	57
Phone with BIOPRO Chip	56	52	54	48	47	52	54

Test Findings:

- Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed or weakened state** when compared to original baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: K.W.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

K.W.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	54	64	40	43	51	39	44
Phone no Chip	46	43	56	39	39	40	38
Phone with BIOPRO Chip	47	52	47	45	43	47	46

Test Findings:

- 10. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **2 of 7 (29%)** of this individual's key body areas measured **within the ideal performance zone**.
- 11. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip, **6 of 7 key body areas (86%)** were **in a weakened or stressed state**.
- 12. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: D.K.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

D.K.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	62	69	37	37	41	38	39
Phone no Chip	40	69	39	36	37	31	39
Phone with BIOPRO Chip	51	55	45	54	52	39	42

Test Findings:

- 13. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **0 of 7 (0%)** of this individual's key body areas measured **within the ideal performance zone**.
- 14. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 15. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **5 of 7 (71%)** of them now measuring **within the ideal performance zone**. The **6th and 7th key areas** also showed a **less weakened state** when compared to baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: J.J.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

J.J.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	59	50	45	46	43	43	43
Phone no Chip	44	61	43	39	39	39	41
Phone with BIOPRO Chip	51	50	53	53	53	52	42

Test Findings:

- 16. **Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.
- 17. **Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 18. **Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened state** when compared to the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: C.P.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

C.P.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	52	54	56	52	56	54	43
Phone no Chip	57	40	58	36	38	37	41
Phone with BIOPRO Chip	49	50	48	52	43	47	45

Test Findings:

- 19. Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **4 of 7 (57%)** of this individual's key body areas measured **within the ideal performance zone**.
- 20. Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip, **7 of 7 key body areas (100%)** were **in a weakened or stressed state**.
- 21. Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less weakened or stressed state** when compared to baseline value and the "phone call without chip" measurement.

Test Details:

Initials of Test Subject: Y.G.
Date Tested: September 9, 2005
Test Location: Carlsbad, CA
Test Equipment used: FDA-registered MSAS Professional
Credentials of Test Administrator: Certified by Georgia State Naturopathic Medical Association
10-plus years experience with performing MSAS testing

Test Results:

Y.G.	Lymphatic System	Lung	Large Intestine	Nervous System	Circulation	Allergy Response	Cellular Metabolism
Baseline	60	69	50	43	52	56	54
Phone no Chip	66	60	54	60	61	60	60
Phone with BIOPRO Chip	62	55	50	50	48	50	52

Test Findings:

- 22. **Baseline (No Phone):**
When tested **without a cell phone** (baseline state), **3 of 7 (43%)** of this individual's key body areas measured **within the ideal performance zone**.

- 23. **Phone Call without BIOPRO Cell Chip Chip:**
When using a cell phone **without** BIOPRO's EMF Harmonization Chip, **6 of 7 key body areas (86%)** were **in a stressed state**.

- 24. **Phone Call with BIOPRO Cell Chip Chip:**
After applying the **BIOPRO's EMF Harmonization Chip** on the phone, **all 7 key body areas (100%)** showed **significant improvement**, with **6 of 7 (86%)** of them now measuring **within the ideal performance zone**. The **7th key area** also showed a **less stressed state** when compared to the "phone call without chip" measurement.

4. CONCLUSIONS

When tested **without a cell phone** (baseline state), across all individuals tested, **36%** of their key body areas measured **within the ideal performance zone**, **64%** of the key body areas measured **outside of the ideal range**.

As a result of our second measurement apparently the influence of EMFs from cell phone resulted in a significant, measurable shift in the energy levels in most acupuncture points. When using a cell phone **without** BIOPRO's Cell Chip attached to it, across all individuals tested, **only 10%** of their key body areas measured **within the ideal performance zone**. The remaining **90%** of their key body areas were **in a weakened or stressed state**. This demonstrates a significant negative effect of shifting the organism out of the ideal performance range.

After applying **BIOPRO's Cell Chip** on the phone, across all individuals tested, **84%** of their key body areas measured **within the ideal performance zone**. The remaining **16% of key body areas** also showed a **less stressed state** when compared to both the original baseline value and the "phone call without chip" measurement. This demonstrates a significant positive effect of shifting the organism back to its ideal performance range.

After applying the **BIOPRO's Cell Chip** on the phone, **all (100%) of all individuals tested** had a **larger percentage** of key body areas **within the ideal performance zone** than they did when using a cell phone **without** BIOPRO's Cell Chip attached to it, as well as when compared to being tested **without a cell phone** (baseline state).

In summary, by comparing seven key areas of the body before and after using the BIOPRO Cell Chip, screening results showed that **numeric stress values for all subjects were restored significantly closer to equilibrium. Each individual showed strengthened resistance to the effects of stress, and a dramatic increase in measurable energy.**